	,			
L. Number	Hits	Search Text	DB	Time stamp
2	1321	710/52.ccls. or 710/317.ccls. or 710/244.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 10:36
6	364	370/362-363.ccls. 370/381.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 12:35
7	844	712/11.ccls. or 712/16.ccls. or 712/207.ccls. or 712/28.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 10:51
8	2734	711/3.ccls. or 711/138.ccls. or 711/150-151.ccls. or 711/158.ccls. or 711/168.ccls. or 711/213.ccls. or 711/148.ccls. or 711/141.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 13:04
9	984	(crossbar or (cross adj1 bar))near10 (buffer or register or fifo or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09 10:56
10	60	((pre adj1 read) or preread or (read adj ahead)) same ((main or shared) adj1 memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09
11	7	<pre>((crossbar or (cross adj1 bar))near10 (buffer or register or fifo or queue)) and (((pre adj1 read) or preread or (read adj ahead)) same ((main or shared) adj1 memory))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 11:02
15	5512	(710/52.ccls. or 710/317.ccls. or 710/244.ccls.) or ((709/207).CCLS. OR (709/240)709/241).CCLS.OR (714/214).CCLS.) or (370/362-363.ccls. 370/381.ccls.) or (712/11.ccls. or 712/16.ccls. or 712/207.ccls. or 712/28.ccls.) or (711/3.ccls. or 711/138.ccls. or 711/150-151.ccls. or 711/158.ccls. or 711/168.ccls. or 711/213.ccls. or 711/141.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09 11:06
16	9	(((pre adj1 read) or preread or (read adj ahead)) same ((main or shared) adj1 memory)) and ((710/52.ccls. or 710/317.ccls. or 710/244.ccls.) or ((709/207).Ccls. OR (709/240 709/241).Ccls.OR (714/214).Ccls.) or (370/362-363.ccls. 370/381.ccls.) or (712/11.ccls. or 712/16.ccls. or 712/207.ccls. or 711/138.ccls.) or (711/3.ccls. or 711/138.ccls. or 711/150-151.ccls. or 711/158.ccls. or 711/168.ccls. or 711/141.ccls. or 711/141.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09 13:07

17	6	<pre>((((pre adj1 read) or preread or (read adj ahead)) same ((main or shared) adj1</pre>	USPAT; US-PGPUB;	2002/12/09 11:07
		memory)) and ((710/52.ccls. or	EPO; JPO;	
	}	710/317.ccls. or 710/244.ccls.) or	DERWENT;	
		((709/207).CCLS. OR	IBM TDB	1
!		(709/240 709/241).CCLS.OR	_	
		(714/214).CCLS.) or (370/362-363.ccls.		
,		370/381.ccls.) or (712/11.ccls. or		
		712/16.ccls. or 712/207.ccls. or		į
		712/28.ccls.) or (711/3.ccls. or 711/138.ccls. or 711/150-151.ccls. or		
		711/158.ccls. or 711/168.ccls. or		
		711/213.ccls. or 711/148.ccls. or		
		711/141.ccls.))) not (((crossbar or		
1		(cross adj1 bar))near10 (buffer or		i l
		register or fifo or queue)) and (((pre		
		adj1 read) or preread or (read adj		
	1	ahead)) same ((main or shared) adj1		
10	E0017	memory)))	IIGDAT.	2002/12/09
18	50917	miss\$2 sane (parallel\$3 or simultaneous\$2 or concurent\$2) same cache same (main	USPAT; US-PGPUB;	2002/12/09
!		adj1 memory)	EPO; JPO;	11.20
1	1	adji Memerji	DERWENT;	
			IBM TDB	
19	28	(miss\$2 sane (parallel\$3 or	USPAT;	2002/12/09
		simultaneous\$2 or concurent\$2) same cache	US-PGPUB;	12:35
ļ		same (main adj1 memory)) and ((crossbar	EPO; JPO;	
		or (cross adj1 bar))near10 (buffer or	DERWENT;	
	<u> </u>	register or fifo or queue)) and ((710/52.ccls. or 710/317.ccls. or	IBM_TDB	
	1	710/244.ccls.) or ((709/207).CCLS. OR		!
	-	(709/240 709/241).CCLS.OR		1
	[(714/214).CCLS.) or (370/362-363.ccls.		1
		370/381.ccls.) or (712/11.ccls. or		1
		712/16.ccls. or 712/207.ccls. or		
		712/28.ccls.) or (711/3.ccls. or		
		711/138.ccls. or 711/150-151.ccls. or 711/158.ccls. or 711/168.ccls. or		
		711/213.ccls. or 711/148.ccls. or		
		711/141.ccls.))		
20	640	709/207.ccls. or 709/240-241.ccls.or	USPAT;	2002/12/09
		709/214.ccls.	US-PGPUB;	12:34
			EPO; JPO;	1
	1		DERWENT;	
21	0	(miss\$2 same (narallel\$2 or	IBM_TDB USPAT;	2002/12/09
21		(miss\$2 sane (parallel\$3 or simultaneous\$2 or concurent\$2) same cache	US-PGPUB;	13:05
		same (main adj1 memory)) and ((crossbar	EPO; JPO;	==
		or (cross adj1 bar))near10 (buffer or	DERWENT;	
[register or fifo or queue)) and	IBM_TDB	
		(709/207.ccls. or 709/240-241.ccls.or		
22	_	709/214.ccls.)	TIGD? TI	2002/12/02
22	2	5761452.pn.	USPAT; US-PGPUB;	2002/12/09
	1		EPO; JPO;	14.74
			DERWENT;	
			IBM TDB	
23	2	5701426.pn.	USPAT;	2002/12/09
			US-PGPUB;	12:44
			EPO; JPO;	
			DERWENT;	
24	2	5603005.pn.	<pre>IBM_TDB USPAT;</pre>	2002/12/09
24	2	3003003.pn.	US-PGPUB;	12:44
			EPO; JPO;	
			DERWENT;	
,			IBM_TDB	

25	2868	711/3.ccls. or 711/137.ccls. or	USPAT;	2002/12/09
		711/150-151.ccls. or 711/158.ccls. or	US-PGPUB;	13:05
	:	711/168.ccls. or 711/213.ccls. or	EPO; JPO;	
		711/148.ccls. or 711/141.ccls.	DERWENT;	
			IBM TDB	
26	14	(miss\$2 sane (parallel\$3 or	USPAT;	2002/12/09
		simultaneous\$2 or concurent\$2) same cache	US-PGPUB;	13:05
		same (main adj1 memory)) and ((crossbar	EPO; JPO;	
		or (cross adj1 bar))near10 (buffer or	DERWENT;	
		register or fifo or queue)) and	IBM_TDB	
		(711/3.ccls. or 711/137.ccls. or	<u> </u>	
!		711/150-151.ccls. or 711/158.ccls. or		
		711/168.ccls. or 711/213.ccls. or		
		711/148.ccls. or 711/141.ccls.)		
27	12	((miss\$2 sane (parallel\$3 or	USPAT;	2002/12/09
		simultaneous\$2 or concurent\$2) same cache	US-PGPUB;	13:05
		same (main adj1 memory)) and ((crossbar	EPO; JPO;	
		or (cross adj1 bar))near10 (buffer or	DERWENT;	
		register or fifo or queue)) and	IBM_TDB	
	1	(711/3.ccls. or 711/137.ccls. or		
		711/150-151.ccls. or 711/158.ccls. or		
		711/168.ccls. or 711/213.ccls. or		
		711/148.ccls. or 711/141.ccls.)) not		
		(((crossbar or (cross adj1 bar))near10		
		(buffer or register or fifo or queue))		
		and (((pre adj1 read) or preread or (read		
		adj ahead)) same ((main or shared) adj1		
	_	memory)))		
28	5	1 / / (P =	USPAT;	2002/12/09
		ahead)) same ((main or shared) adj1	US-PGPUB;	13:07
		memory)) and (711/3.ccls. or	EPO; JPO;	
		711/137.ccls. or 711/150-151.ccls. or	DERWENT;	
		711/158.ccls. or 711/168.ccls. or	IBM_TDB	
		711/213.ccls. or 711/148.ccls. or		
		711/141.ccls.)		